



Rock Springs-Sweetwater County
A I R P O R T

Invitation for Bid
Agricultural Tractor & Mower

For Further Information, Contact:
Devon Brubaker, Airport Manager
Rock Springs-Sweetwater County Airport
382 HWY 370
Rock Springs, WY 82901
dbrubaker@rockspringsairport.com

Sealed Bids Due:
September 19, 2016
No Later than 2:00 PM MST
Deliverable to contact address to the left

SEALED BIDS MUST BE RECEIVED IN THE AIRPORT ADMINISTRATION OFFICE, 382 HWY 370, ROCK SPRINGS, WY 82901 BEFORE: **2:00 PM LOCAL (Rock Springs, WY) time on September 19, 2016.**

Your sealed written bid is requested for the following:

To establish a firm price for an Agricultural Tractor and Mower per the attached specifications.

All Vendors must submit a current copy of their W-9 with the Bid.

For additional information on this IFB, please contact Airport Manager, Devon Brubaker at dbrubaker@rockspringsairport.com. (All Question must be submitted via Email)

A copy of this bid may be found on the Airport's Website at: <http://rockspringsairport.com/about-rks/doing-business/>

Must submit one (1) signed complete original via sealed bid including all equipment documentation to the above address.

ALL BIDDERS MUST SUBMIT, WITH THE BID, A CASHIER'S CHECK FOR NOT LESS THAN 5 PERCENT OF THE TOTAL BID MADE PAYABLE TO THE ROCK SPRINGS-SWEETWATER COUNTY AIRPORT OR BY BID BOND FOR A LIKE AMOUNT.

THE UNDERSIGNED HEREBY CERTIFIES THAT ITEMS FURNISHED AS A RESULT OF THIS BID WILL BE IN FULL ACCORDANCE WITH THE AIRPORT SPECIFICATION APPLYING THERETO UNLESS EXCEPTIONS ARE STATED IN BID.

All delivery costs are included in this quotation regardless of F.O.B. Destination.

Bidding Company: _____

Address: _____

Prices quoted shall remain firm for acceptance with-in 90 calendar days after bid opening unless otherwise stated.

City State Zip Code

AGRICULTURAL TRACTOR & MOWER
TECHNICAL SPECIFICATIONS

The bidder shall deliver all vehicles and or equipment fully assembled and operational with all items such as mounting brackets, fluids such as oil and fuel, batteries, etc. Installed upon delivery. No crated or non-operational equipment requiring assembly or adjustments of any kind shall be accepted. Bidder will be required to operate the equipment and demonstrate all features and operational modes to airport personnel. Unless otherwise stated in the specifications and at the discretion of the airport, upon award of bid, a minimum of 8 hours training shall be provided to airport personnel to be trained in the operation, upkeep and maintenance of the equipment bid.

IF A PREVENTIVE MAINTENANCE PROGRAM IS INCLUDED IN THE BID AWARD; ALL PREVENTIVE MAINTENANCE WORK SHALL BE PERFORMED IN THE FIELD. AFTER EACH OCCASION THAT WORK IS PERFORMED BY THE BIDDER, A COPY OF THE WORK ORDER OUTLINING WHAT WORK WAS ACCOMPLISHED SHALL BE MAILED TO THE AIRPORT, THIS IS TO INCLUDE PREVENTIVE MAINTENANCE, WARRANTY AND/OR REGULAR MAINTENANCE.

A MINIMUM OF ONE (1) SET OF AN OPERATORS MANUAL MUST BE DELIVERED WITH THE VEHICLE OR EQUIPMENT UNLESS STATED OTHERWISE IN THE BID DOCUMENT. A MINIMUM OF TWO (2) PARTS AND SERVICE MAINTENANCE MANUALS SHALL BE DELIVERED WITH THE VEHICLE AND EQUIPMENT UNLESS STATED OTHERWISE IN THE BID DOCUMENT. PARTS AND SERVICE MANUALS MAY BE ON CD ROM/FLASH DRIVE. IF THEY ARE AVAILABLE AT NO COST TO THE AIRPORT THROUGH THE INTERNET, PLEASE STATE WHERE AND HOW THEY ARE ACCESSED.

The manufacturer shall warrant each vehicle/equipment and related parts to be of good material and workmanship and to promptly replace any part or parts which by reason of defective materials or workmanship shall fail under normal use, free of negligence or accident, for a minimum of one (1) Year from the date of delivery, unless otherwise stated.

In addition, if such failures take place outside the dealer's service area, the seller will be responsible for reimbursing the nearest manufacturer's authorized dealer for services rendered under this warranty.

The seller shall respond within 72 hours of notification by the airport, on when, where, and how a warranty issue will be resolved.

In the event there is no response within the 72 hours, or if the response is not acceptable to the airport; the airport will provide or arrange for repairs. The seller shall be liable for reimbursement to the airport for all costs incurred to resolve the warranty repairs.

THE SELLER SHALL HAVE THE OPTION TO AUTHORIZE THE AIRPORT TO PERFORM MINOR WARRANTY REPLACEMENT AND REPAIRS AND THEN REIMBURSE THE AIRPORT FOR ITS LABOR AND PARTS UTILIZED TO ENACT THE REPAIR. THE REIMBURSEMENT FOR LABOR WILL BE THE SAME RATE AS THAT OF THE ACTUAL WORK PERFORMED.

STANDARD WARRANTY INFORMATION IS TO BE SUPPLIED WITH THE BID.

All unloading shall be the Responsibility of the seller and/or shipping entity.

ITEM #1: FOUR WHEEL DRIVE AGRICULTURAL TRACTOR

ITEM	SPECIFICATIONS (Minimum Requirements)	BIDDER'S PROPOSAL
GENERAL DESCRIPTION	CURRENT PRODUCTION MODEL FOUR (4) WHEEL DRIVE AGRICULTURAL TRACTOR WITH ALL ADVERTISED STANDARD EQUIPMENT EQUAL TO A JOHN DEERE 6130M	DESCRIBE: MAKE: _____ MODEL: _____ YEAR: _____
ENGINE	<ol style="list-style-type: none"> 1. FUEL: Diesel 2. HORSEPOWER: Rated approx. 130 h with a minimum of 102 net PTO hp. To meet current minimum EPA requirements. 3. DISPLACEMENT: 4 cyl. Approx. 276 cubic inches turbocharged 4. AIR CLEANER: Dry type, Replaceable element 5. OIL FILTER: Full flow spin-on type 6. FUEL FILTER WITH WATER SEPERATOR 7. FOOT AND HAND THROTTLE 8. ENGINE COOLANT HEATER 	<ol style="list-style-type: none"> 1. _____ 2. _____ 3. _____ 4. _____ 5. _____ 6. _____ 7. _____ 8. _____
TRANSMISSION	<ol style="list-style-type: none"> 1. 24 SPEED WITH 4, CLUTCH FREE SHIFTS IN EACH RANGE 2. NEUTRAL SAFETY START SYSTEM 3. TRANSMISSION HEATER 	<ol style="list-style-type: none"> 1. _____ 2. _____ 3. _____
STEERING	<ol style="list-style-type: none"> 1. HYDROSTATIC STEERING 2. DUAL STAGE DISK BRAKES 3. REAR AXLE DIFFERENTIAL LOCK 	<ol style="list-style-type: none"> 1. _____ 2. _____ 3. _____
CAB	<ol style="list-style-type: none"> 1. HEATED & COOLED CAB 2. AM/FM RADIO WITH CLOCK AND WEATHER BAND FUNCTIONS WITH ANTENNA 3. PROVIDE A HOOD GUARD 4. ADJUSTABLE AIR RIDE SEAT 5. WINDSHIELD WASHER & WIPER KIT FRONT & REAR 6. MECHANICAL CAB SUSPENSION 7. TILT/TELESCOPIC STEERING COLUMN 8. FLOOR MAT 9. POWER OUTLET 10. OVERHEAD COURTESY LIGHT 	<ol style="list-style-type: none"> 1. _____ 2. _____ 3. _____ 4. _____ 5. _____ 6. _____ 7. _____ 8. _____ 9. _____ 10. _____

ELECTRICAL	<ol style="list-style-type: none"> 1. 12-VOLT ELECTRICAL SYSTEM 2. ALTERNATOR: 200 AMP 3. BATTERY: 12V, 174AH 	<ol style="list-style-type: none"> 1. _____ 2. _____ 3. _____
LIGHTING	<ol style="list-style-type: none"> 1. FOUR (4) FRONT GRILLE HEADLIGHTS 2. TWO (2) FRONT OUTER ROOF WORKLIGHTS 3. ONE (1) REAR ROOF WORKLIGHT 4. FOUR (4) ROOF MOUNTED FLASHING HAZARD LIGHTS 5. TWO (2) REAR FENDER TAIL LIGHTS W/ BRAKE LIGHTS 6. BEACON LIGHTS <p style="text-align: center;"><i>***ALL LIGHTING SHOULD BE LED TYPE LIGHTS TO THE MAXIMUM EXTENT POSSIBLE***</i></p>	<ol style="list-style-type: none"> 1. _____ 2. _____ 3. _____ 4. _____ 5. _____ 6. _____
HYDRAULICS	<ol style="list-style-type: none"> 1. PRESSURE & FLOW COMPENSATED SYSTEM 2. 30.1 GPM (114 L/min), 45cc 3. REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES, 3 SCV Mechanical (3 Detents - 450 Series) with Standard Couplers and Dust Covers 	<ol style="list-style-type: none"> 1. _____ 2. _____ 3. _____
REAR PTO	<ol style="list-style-type: none"> 1. 540/1000 RPM, 1 3/8 In. INDEPENDENT REAR PTO, REVERSIBLE SHAFT AND PTO MASTER SHIELD 2. ELECTROHYDRAULIC ACTIVATION 3. SEAT ACTIVATED PTO WARNING 4. DRAFT CONTROL 	<ol style="list-style-type: none"> 1. _____ 2. _____ 3. _____ 4. _____
ROCKSHAFT, HITCH, & DRAWBAR	<ol style="list-style-type: none"> 1. ELECTROHYDRAULIC HITCH 2. 3 POINT (Category 2/3N) HITCH 3. MINIMUM 5,154 lb LIFT CAPACITY 4. TELESCOPIC DRAFT LINKS 5. SWAY CONTROL BLOCKS 6. CATEGORY 2 SWINGING DRAWBAR w/ HAMMERSTRAP 7. ADJUSTABLE CENTER LINK WITH BALL END 8. RH & LH REAR FENDER HITCH CONTROLS 	<ol style="list-style-type: none"> 1. _____ 2. _____ 3. _____ 4. _____ 5. _____ 6. _____ 7. _____ 8. _____
WHEELS & TIRES	<ol style="list-style-type: none"> 1. TWO-POSITION WHEELS 2. FLANGED AXLE 3. REAR WHEEL WEIGHT - 220kg (485 lbs) 	<ol style="list-style-type: none"> 1. _____ 2. _____ 3. _____

	4. FRONT WHEELS & TIRES: 380/85R24 131A8 R1W RADIAL 5. REAR WHEELS & TIRES: 460/85R34 147A8 R1W RADIAL	4. _____ 5. _____
WARRANTY	1. MANUFACTURER'S WARRANTY	Describe:

ITEM #2: 20 FT HEAVY DUTY BATWING MOWER DECK		
ITEM	SPECIFICATIONS (Minimum Requirements)	BIDDER'S PROPOSAL
GENERAL DESCRIPTION	PROVIDE MOST CURRENT PRODUCTION MODEL 20FT DUAL WING WOODS BATWING MOWER MODEL NUMBER BW240HD OR ACCEPTABLE EQUAL FOR A 102 PTO HP TRACTOR	MAKE: _____ MODEL: _____
CUTTING CAPACITY	1. UP TO 3" DIAMETER 2. 2" - 15" IN HEIGHT	1. _____ 2. _____
BATWINGS	1. WINGS TO FOLD UP TO APPROX. 123" FOR TRAVEL 2. FRONT AND REAR CHAIN GUARDS 3. HYDRAULICALLY LIFTED 4. FOAM FILLED AIRCRAFT TIRES 5. CLEVIS HITCH 6. DECK THICKNESS A MINIMUM OF 0.135" 7. HINGE ROD DIAMETER OF APPROX. 1" 8. STUMP JUMPER 9. FULLY BAFFLED DECK 10. OUTPUT SHAFT DIAMETER A MINIMUM OF 2.25" 11. QUICK CHANGE BLADE SYSTEM	1. _____ 2. _____ 3. _____ 4. _____ 5. _____ 6. _____ 7. _____ 8. _____ 9. _____ 10. _____ 11. _____
WARRANTY	1. MANUFACTURER'S WARRANTY	DESCRIBE:

--	--	--

ITEM #3: LOADER FOR PROPOSED TRACTOR

ITEM	SPECIFICATIONS (Minimum Requirements)	BIDDER'S PROPOSAL
GENERAL DESCRIPTION	PROVIDE MOST CURRENT PRODUCTION MODEL LOADER BUCKET AND BUCKET SYSTEM MODEL NUMBER 620R MSL OR ACCEPTABLE EQUAL FOR PROPOSED TRACTOR	MAKE: _____ MODEL: _____
LIFTING CAPACITY	1. 4,400 LBS OR GREATER	1. _____
BOOM BREAKOUT FORCE	1. 5,400 LBS OR GREATER	1. _____
MAXIMUM LIFT HEIGHT	1. 160 INCHES OR GREATER	1. _____
REACH MAX HEIGHT (FULLY DUMPED)	1. 17.5 INCHES OR GREATER	1. _____
WARRANTY	1. MANUFACTURER'S WARRANTY	DESCRIBE:

ITEM #4: SNOW PUSHER FOR PROPOSED LOADER MOUNT

ITEM	SPECIFICATIONS (Minimum Requirements)	BIDDER'S PROPOSAL
GENERAL DESCRIPTION	PROVIDE MOST CURRENT PRODUCTION MODEL 10 FT SNOW PUSH MODEL NUMBER AS11E OR ACCEPTABLE EQUAL FOR PROPOSED LOADER	MAKE: _____ MODEL: _____
WARRANTY	1. MANUFACTURER'S WARRANTY	DESCRIBE:

BID FORM INCLUDING DELIVERY & PRICING

1. **Delivery.** If your Bid is accepted and a contract is executed, state the number of days you need to deliver the Goods:

_____ Calendar Days

2. **Pricing** - Bidder must include shipping, handling, etc. in their Bid price. Bidder must bid on all items to be considered.

Item	Description	Quantity	Unit Cost	Extended Cost
1	4WD Agricultural Tractor	1	\$ _____	\$ _____
2	20 FT Batwing Mower	1	\$ _____	\$ _____
3	Loader	1	\$ _____	\$ _____
4	Snow Pusher	1	\$ _____	\$ _____
TOTAL COST NOT TO EXCEED: (All cost must be included or your bid will be disqualified)				\$ _____

THE AIRPORT RESERVES THE RIGHT TO PURCHASE ONE OF OR ALL OF THE ITEMS BID.

Bidder's Company Name: _____

Address: _____

Address: _____

Authorized Signature: _____

Printed Name: _____

Title: _____

Phone #: _____

Email: _____

THIS ENTIRE 7 PAGE BID DOCUMENT MUST BE INCLUDED IN BID